

	<b>Queen Anne's County Fire &amp; EMS Commission Operations Manual</b>	No. 06.08
	<b>Ladder Truck/Aerial Platform Without Pump Standards</b>	Effective Date: May 2, 2013  Revised Date: January 9, 2014

**I. SCOPE**

- A. This standard applies to all Queen Anne's County Fire Department's.

**II. PURPOSE**

- A. To establish standards for a Ladder Truck/Aerial Platform without a Pump.

**III. RESPONSIBILITY**

- A. All Queen Anne's County Fire Department's will be responsible for ensuring strict adherence to this standard.

**IV. STANDARD**

- A. The vehicle shall consist of a motorized piece of apparatus of minimum capacity to carry the equipment listed below without being overloaded. The vehicle shall meet D O T specifications and shall not exceed chassis manufacturer's G V W. The vehicle shall be equipped with an audible back up alarm and necessary warning devices. It must be registered as an emergency vehicle and meet all codes of Maryland Vehicle Administration or its successors.
- B. To be numbered with Truck and 1- digit number.
  - 1. Example; Truck 4.
- C. Minimum required equipment to be carried.
  - 1. One two way radio to meet county standards and a portable radio with charger for each seat that contains an SCBA including the driver's seat.
  - 2. Four portable hand lights.
  - 3. Two 500 watt floodlights mounted.
  - 4. Two 500 watt floodlights portable.
  - 5. Four 30 minute breathing apparatus with four spare bottles all must have pass devices.

	<b>Queen Anne's County Fire &amp; EMS Commission Operations Manual</b>	No. 06.08
	<b>Ladder Truck/Aerial Platform Without Pump Standards</b>	Effective Date: May 2, 2013  Revised Date: January 9, 2014

6. One 5000 watt generator mounted or portable.
7. One battering ram (optional.)
8. Four 12 by 18 salvage covers.
9. Two 150 ft lengths of 9000 lb static kern mantle rope.
10. Two ladder belts.
11. One k-12 gas powered saw or equivalent with gas and oil.
12. Two wheel chocks.
13. One 16" electric smoke ejector or one positive pressure fan.
14. Two 24" closet hooks.
15. One bailing hook (optional.)
16. One door hanger mount for smoke ejector.
17. One crosscut saw.
18. Two pick head axes.
19. Two flathead axes.
20. One 20lb Co2 extinguisher.
21. One 20lb Dry chemical extinguisher.
22. One 2.5 gallon water extinguisher.
23. Two halagan tool 1-12" and 1-30"
24. Two bolt cutters 1 long and 1 short.
25. Two 8lb sledge hammers.
26. Two crowbars 1 long and 1 short.
27. One 48" pry bar.
28. One 30" Clemens hook.
29. Two grain shovels.
30. Two piths forks.
31. Two street brooms.
32. Two mops.
33. One roll polyethylene (1200 sq ft.)
34. Two 36" squeegees.
35. Two pointed spade shovels.
36. One electric submersible 1.5" electric cord (optional.)
37. One electric junction box.
38. One 3500 psi air cylinder (optional.)
39. One ladder pipe or pre-pipe.
40. Minimum 85 ft 3" hose for ladder if not pre-pipe.
41. One set of stake tips for ladder pipe.

	<b>Queen Anne's County Fire &amp; EMS Commission Operations Manual</b>	No. 06.08
	<b>Ladder Truck/Aerial Platform Without Pump Standards</b>	Effective Date: May 2, 2013  Revised Date: January 9, 2014

42. One adjustable gallon fog tip for ladder.
43. Two hammers.
44. Two hatchets.
45. One tool box with assorted tools.
46. One 50ft extension cord.
47. Two pair staplers and scissors.
48. One first aid kit (NFPA 1903) recommended oxygen with liter flow.
49. One gas can.
50. Two 10 quart buckets.
51. One chimney sweep.
52. One pair heat resistant gloves.
53. Two hose straps.
54. Two 2.5" or greater spanner wrenches.
55. One adjustable hydrant wrench.
56. Two 6' ceiling hooks.
57. Two 10' ceiling hooks.
58. Two 12' ceiling hooks.
59. 163 ft of ground ladders (both extension and straight to be made of aluminum)
60. One 10' folding attic ladder.
61. One 75 ft minimum aerial device to be tested every two year (steel or aluminum)
62. QAC ADC map book and all other counties in which you respond to.
63. Four sprinkler wedges or stops.
64. One set emergency road triangles.

---

William H. Faust, Chairman  
Queen Anne's County Fire & EMS Commission