

NOTICE OF PUBLIC HEARING

At their regular meeting held on September 13, 2016, Commissioner Buckey introduced County Ordinance No. 16-16, A BILL ENTITLED AN ACT CONCERNING Elevator Sizes in Queen Anne's County, Maryland; FOR THE PURPOSE of revising the Queen Anne's County Building Code to require that at least one elevator, if provided, be of sufficient size to accommodate an ambulance stretcher in all buildings other than single family homes; deleting an obsolete reference in Chapter 10 of the Code of Public Local Laws of Queen Anne's County and renumbering Section 10-2 B.(6) of the Code of Public Local Laws; BY AMENDING Section 10-2 Building Code amendments of the Code of Public Local Laws of Queen Anne's County, Maryland.

The County Commissioners hereby give notice that a public hearing will be held on the Ordinance on Tuesday, November 22, 2016 at 6:55 p.m. in the County Commissioners Meeting Room, The Liberty Building, 107 North Liberty Street, Centreville, Maryland.

Copies of the proposed ordinance may be obtained at the County Commissioners Office, 107 N. Liberty Street, Centreville, Maryland 21617 prior to the hearing during the hours of 8:00 a.m. to 4:30 p.m. or on-line at www.qac.org.

Speakers will be limited to three minutes each. Written testimony of any length may be submitted on or before the hearing date to the County Commissioners, 107 North Liberty Street, Centreville, Maryland 21617.

All hearing sites are accessible to individuals with disabilities. Sign language interpreters and assistive listening systems will be available for individuals with disabilities. If any such assistance is necessary, please contact Mrs. Tina Miles at 410-758-4406 or TDD 410-758-2126 at least seven (7) days before the scheduled hearing.

By Authority of

THE COUNTY COMMISSIONERS
OF QUEEN ANNE'S COUNTY

Margie A. Houck
Executive Assistant to Commissioners